

# MINIMUM STANDARD HEALTH PROTOCOLS



## CHECKLIST FOR ALL OFFICE-BASED EMPLOYEES

Page 1 of 1

**All individuals must wear a face covering (over the nose and mouth) wherever it is not feasible to maintain six feet of social distancing from another individual not in the same household.**

The following are the minimum recommended health protocols for all office-based employees in Texas. These minimum health protocols are not a limit on the health protocols that individuals may adopt. Individuals are encouraged to adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all Texans.

*The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.*

*Please note, public health guidance cannot anticipate every unique situation. Individuals should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization.*

### Health protocols for individuals:

- Individuals may not be in a group larger than 10 individuals. Within these groups, individuals should, to the extent possible, minimize in-person contact with others not in the individual's household. Minimizing in-person contact includes maintaining 6 feet of separation from individuals. When maintaining 6 feet of separation is not feasible, other methods should be utilized to slow the spread of COVID-19, such as washing or sanitizing hand frequently, and avoiding sharing utensils or other common objects.
- Self-screen before going into an office for any of the following new or worsening signs or symptoms of possible COVID-19:
 

<input type="checkbox"/> Cough	<input type="checkbox"/> Sore throat
<input type="checkbox"/> Shortness of breath or difficulty breathing	<input type="checkbox"/> Loss of taste or smell
<input type="checkbox"/> Chills	<input type="checkbox"/> Diarrhea
<input type="checkbox"/> Repeated shaking with chills	<input type="checkbox"/> Feeling feverish or a measured temperature greater than or equal to 100.0 degrees Fahrenheit
<input type="checkbox"/> Muscle pain	<input type="checkbox"/> Known close contact with a person who is lab confirmed to have COVID-19
<input type="checkbox"/> Headache	
- Wash or disinfect hands upon entering an office and after any interaction with employees, contractors, customers, or items in the office.
- Limit the use of standard-size elevators to four individuals at a time, each located at a different corner of the elevator, to avoid close contact. In elevators, masks should be worn. For individuals not wishing to ride an elevator, ensure stairways are available for use. As appropriate, individuals subject to the Americans with Disabilities Act may ride the elevator alone or accompanied by the individual's caregiver.**
- Carry hand sanitizer, and use it regularly, while at the office, especially after contact with individuals outside the household.